Ref #	Hits	Search Query	DBs
S17	250	162/374	US-PGPUB;
"	200	102, 57 =	USPAT;
			USOCR;
			EPO; JPO;
			DERWENT
S18	200	162/374.ccls.	
010	389	162/3/4.00ls.	US-PGPUB;
			USPAT;
			USOCR;
			EPO; JPO;
010	404	04.7 -:: 04.0	DERWENT
S19	494	S17 or S18	US-PGPUB;
			USPAT;
			USOCR;
			EPO; JPO;
	40=	100/050	DERWENT
S20	425	162/352.cds.	US-PGPUB;
			USPAT;
			USOCR;
			EPO; JPO;
			DERWENT
S21	394	162/352	US-PGPUB;
			USPAT;
			USOCR;
			EPO; JPO;
			DERWENT
S22	569	S20 or S21	US-PGPUB;
			USPAT;
			USOCR;
			EPO; JPO;
			DERWENT
S23	798	S19 or S22	US-PGPUB;
			USPAT;
			USOCR;
			EPO; JPO;
			DERWENT
S24	1	S23 and (shore with hardness)	US-PGPUB;
			USPAT;
			USOCR;
			EPO; JPO;
			DERWENT
S25	0	S23 and (jip with hardness)	US-PGPUB;
			USPAT;
			USOCR;
			EPO; JPO;
			DERWENT
S26	21	("162"/\$.ccls. or D21F\$.ccls.) and (shore with	US-PGPUB;
		hardness)	USPAT;
			USOCR;
			EPO; JPO;
			DERWENT
S27	0	("162"/\$.ccls. or D21F\$.ccls.) and (JIP with	US-PGPUB;

		hardness)	LICDAT
		hardness)	USPAT; USOCR;
			EPO; JPO;
			DERWENT
S28	0	("162"/\$.ccls. or D21F\$.ccls.) and (JIP\$6 with	US-PGPUB;
		hardness)	USPAT:
		Haranoss) 	USOCR;
			EPO; JPO;
			DERWENT
S29	134	(162/358.4).CCLS.	USPAT
S30	52	S29 and hardness	USPAT
S31	1	S23 and (jis with hardness)	US-PGPUB;
	·		USPAT;
			USOCR;
			EPO; JPO;
			DERWENT
S32	100	("162"/\$.ccls. or D21F\$.ccls.) and (shore\$4	US-PGPUB;
		with hardness)	USPAT;
		,	USOCR;
			EPO; JPO;
			DERWENT
S33	1	S23 and (shore\$4 with hardness)	US-PGPUB;
			USPAT;
			USOCR;
			EPO; JPO;
			DERWENT
S34	1	S23 and (jis\$4 with hardness)	US-PGPUB;
			USPAT;
			USOCR;
			EPO; JPO;
	40	/!!1 CO!! /	DERWENT
S35	43	("162"/\$.ccls. or D21F\$.ccls.) and (JIS\$6 with	US-PGPUB;
		hardness)	USPAT; USOCR;
			EPO; JPO;
			DERWENT
S36	1	S23 and (JIS\$6 with hardness)	US-PGPUB;
	'	See and (orego with hardhoss)	USPAT;
			USOCR;
			EPO; JPO;
			DERWENT
S37	2	S23 and (shore\$4)	US-PGPUB;
			USPAT;
			USOCR;
			EPO; JPO;
			DERWENT
S38	140	S32 or S35	US-PGPUB;
			USPAT;
			USOCR;
			EPO; JPO;
			DERWENT
S39	75	S32 or S35	USPAT;

	1	T	
			USOCR;
			EPO; JPO;
			DERWENT
S40	104	("162"/\$.ccls. or D21F\$.ccls.) and (shore\$4	US-PGPUB;
		same hardness)	USPAT;
		,	USOCR:
			EPO; JPO;
			DERWENT
S41	4	S40 not S32	US-PGPUB;
• • •	'		USPAT;
			USOCR;
			EPO; JPO;
			DERWENT
S42	96	S19 and (rubber or elastomer\$4 or	US-PGPUB;
342	30	polymer\$4)	USPAT;
			USOCR;
			EPO; JPO;
040		O40 and bandrass	DERWENT
S43	6	S42 and hardness	US-PGPUB;
			USPAT;
			USOCR;
			EPO; JPO;
<u></u>			DERWENT
S44	11	S42 and filler	US-PGPUB;
			USPAT;
			USOCR;
			EPO; JPO;
			DERWENT
S45	20	S19 and (urethane or polyurethane)	US-PGPUB;
			USPAT;
			USOCR;
			EPO; JPO;
			DERWENT
S46	9	S45 and (teflon or ptfe or talc\$43 or clay or	US-PGPUB;
		carbonate or glass or ceramic or titanium or	USPAT;
		carbide or nitride or kaolin)	USOCR;
			EPO; JPO;
			DERWENT
S47	1	("6444094").PN.	USPAT
S48	15	S22 and (urethane or polyurethane)	US-PGPUB;
			USPAT;
			USOCR;
			EPO; JPO;
L			DERWENT
S49	11	S48 and (teflon or ptfe or talc\$43 or clay or	US-PGPUB;
		carbonate or glass or ceramic or titanium or	USPAT;
		carbide or nitride or kaolin)	USOCR;
		<u>'</u>	EPO; JPO;
			DERWENT
S50	175	(d21f\$.ipc.) and (teflon or ptfe or talc\$43 or	US-PGPUB;
		clay or carbonate or glass or ceramic or	USPAT;
		titanium or carbide or nitride or kaolin) and	USOCR;

		(urethane or polyurethane)	EPO; JPO;
		(drothane or polydrethane)	DERWENT
S51	11	(d21f1/52.ipc.)	US-PGPUB;
			USPAT;
			USOCR;
			EPO; JPO;
07.0		41245244724	DERWENT
S52	172	(d21f001/52.ipc.)	US-PGPUB;
			USPAT;
			USOCR; EPO; JPO;
			DERWENT
S53	18	(d21f1/48.ipc.)	US-PGPUB;
	10	(dETTT) (o.ipo.)	USPAT;
			USOCR;
			EPO; JPO;
			DERWENT
S54	310	(d21f001/48.ipc.)	US-PGPUB;
			USPAT;
			USOCR;
			EPO; JPO;
CEE	404	/CE1 or CE0 or CE0 or CE1)	DERWENT
S55	464	(S51 or S52 or S53 or S54)	US-PGPUB; USPAT;
			USOCR;
			EPO; JPO;
			DERWENT
S56	7	S55 and (urethane or polyurethane) and	US-PGPUB;
		(teflon or ptfe or talc\$43 or clay or carbonate	USPAT;
		or glass or ceramic or titanium or carbide or	USOCR;
		nitride or kaolin)	EPO; JPO;
05.7	,	055	DERWENT
S57	1	S55 and (urethane or polyurethane) and filler	US-PGPUB;
			USPAT;
			USOCR; EPO; JPO;
			DERWENT
S58	2639	(urethane or polyurethane) with shore\$4 with	USPAT
	1	hardness	
S59	1	"0048747"	DERWENT
S60	2	"9730212"	DERWENT
S61	3	(("3975568") or ("5851598") or	USPAT
		("4728530")).PN.	
S62	26	"257812"	DERWENT
S63	3976	(urethane or polyurethane) with shore\$4 with	USPAT;
		hardness	EPO; JPO;
S64	0	S63 and (d21f1/48 or d21f001/48 or d21f1/50	DERWENT USPAT;
304	٥	or d21f001/50 or d21f1/52 or d21f001/52 or	EPO; JPO;
		d21f1/48.ipc. or d21f001/48.ipc. or	DERWENT
		d21f1/50.ipc. or d21f001/50.ipc. or	
		d21f1/52.ipc. or d21f001/52.ipc.)	

S65	1329	(d21f1/48 or d21f001/48 or d21f1/50 or	USPAT;
		d21f001/50 or d21f1/52 or d21f001/52 or	EPO; JPO;
		d21f1/48.ipc. or d21f001/48.ipc. or	DERWENT
		d21f1/50.ipc. or d21f001/50.ipc. or	
		d21f1/52.ipc. or d21f001/52.ipc.)	
S66	30985	shore\$4 with hardness	USPAT;
			EPO; JPO;
			DERWENT
S67	2	S65 and S66	USPAT;
			EPO; JPO;
			DERWENT
S68	32	(d21f1/48 or d21f001/48 or d21f1/50 or	USPAT;
000	02	d21f001/50 or d21f1/52 or d21f001/52 or	EPO; JPO;
		d21f1/48.ipc. or d21f001/48.ipc. or	DERWENT
		d21f1/50.ipc. or d21f001/50.ipc. or	
		d21f1/50.ipc. or d21f001/50.ipc. or d21f001/52.ipc.) and	
		hardness	
S69	1		LICDAT
		("4328286").PN.	USPAT
S70	1	("4238286").PN.	USPAT
S71	5	"3975568"	USPAT
S72	10548	(urethane or polyurethane) with (filler or	USPAT;
		fillers)	EPO; JPO;
			DERWENT
S73	328	S63 and S72	USPAT;
			EPO; JPO;
			DERWENT
S74	102	S73 and hardness.ab.	USPAT;
			EPO; JPO;
			DERWENT
S87	2	D21F\$.ipc. and (wire or fourdrinier) and (foil	EPO; JPO;
		or foils or blade or blades or box or boxes or	DERWENT
		strip or strips or cover or covers) and	
		hardness	
S88	0	D21F\$.ipc. and (wire or fourdrinier) and (foil	EPO; JPO;
	~	or foils or blade or blades or box or boxes or	DERWENT
		strip or strips or cover or covers) and	
		durometer	
S89	1	D21F\$.ipc. and (wire or fourdrinier) and (foil	EPO; JPO;
ا س	'	or foils or blade or blades or box or boxes or	DERWENT
		strip or strips or cover or covers) and shore\$3	
S90	5	"3975568"	
1 390	5	091 0000	US-PGPUB;
L	1 5	DOLET inc. and /fail as fails as blade as blade	USPAT
S91	15	D21F\$.ipc. and (foil or foils or blade or blades	EPO; JPO;
		or box or boxes or strip or strips or cover or	DERWENT
	-	covers) and (polyurethane or urethane)	EDC :50
S92	8	D21F\$.ipc. and (foil or foils or blade or blades	EPO; JPO;
		or box or boxes or strip or strips or cover or	DERWENT
		covers) and (hardness or durometer or	
		shore\$3)	
S93	1	("5824400").PN.	USPAT
S94	1	("1770045").PN.	USPAT
L 00 =	10	"482740"	EPO;
S95	10	102710	<u> </u>

EAST Search History

			DERWENT
S96	1	"10578880"	US-PGPUB;
			USPAT
S97	1	"20070068646"	EPO;
			DERWENT
S98	1	("5096993").PN.	USPAT
S99	1	("4141863").PN.	USPAT
S100	579	(urethane\$2 or polyurethane\$2 or TPU) same	USPAT
		shore\$2 same hardness same table	
S101	87	(urethane\$2 or polyurethane\$2 or TPU) with	USPAT
		shore\$2 with hardness with table	
S102	3	(urethane\$2 or polyurethane\$2 or TPU) with	USPAT
		shore\$2 with hardness with table with filler\$2	
S103	3632	(urethane\$2 or polyurethane\$2 or TPU) with	USPAT
		filler	
S104	6	S101 and S103	USPAT
S105	53	S100 and S103	USPAT